

EXHIBIT “D”

To view **larger**, click on "**+**" on the toolbar to increase magnification.

F-01b: Saint Thomas Hospital Drug Formulary (Sorted by Generic Description) Approved by PTAC 1/12/10; updated 11/8/11

*Medication guides MUST be dispensed by healthcare professionals the first time a drug is dispensed for administration to a pt in an outpatient setting, including clinics (Outpatient Infusion Center), eye centers, Neuro Diagnostic Testing Center, dialysis centers, and outpatient surgery.

Description (Generic)	Brand Name	Therapeutic Class	Tier I - "Do not Touch" To be reserved for drugs with clear recs against handling at any time while pregnant	Tier II - "Chemotherapy Agents" Outlined in policy C- 32	Tier III - "Category X Medications" Related to ingestion rather than handling	Controlled Substances (CII - V)	Hazardous (P, U, D) Outlined in policy W-07	High Risk Outlined in policy M- 14	Look Alike / Sound Alike (See list on LifeNet)	Outpatient Infusion Center (OIC) use only	Prescribing Restrictions per PTAC	Risk Evaluation Mitigation Strategy (REMS) as regulated by the FDA *
-----------------------	------------	-------------------	--	--	---	---------------------------------------	--	---	---	---	--------------------------------------	--

To view **larger**, click on "**+**" on the toolbar to increase magnification.

F-01b: Saint Thomas Hospital Drug Formulary (Sorted by Generic Description) Approved by PTAC 1/12/10; updated 11/8/11

*Medication guides MUST be dispensed by healthcare professionals the first time a drug is dispensed for administration to a pt in an outpatient setting, including clinics (Outpatient Infusion Center), eye centers, Neuro Diagnostic Testing Center, dialysis centers, and outpatient surgery.

Description (Generic)	Brand Name	Therapeutic Class	Tier I - "Do not Touch" To be reserved for drugs with clear recs against handling at any time while pregnant	Tier II - "Chemotherapy Agents" Outlined in policy C- 32	Tier III - "Category X Medications" Related to ingestion rather than handling	Controlled Substances (CII - V)	Hazardous (P, U, D) Outlined in policy W-07	High Risk Outlined in policy M- 14	Look Alike / Sound Alike (See list on LifeNet)	Outpatient Infusion Center (OIC) use only	Prescribing Restrictions per PTAC	Risk Evaluation Mitigation Strategy (REMS) as regulated by the FDA *
methyiPREDNISolone (SOLUmedrol) na succ 1 gm inj	SOLU-MEDROL	steroids, adrenal cortical										
methyiPREDNISolone (SOLUmedrol) na succ 125 mg inj	SOLU-MEDROL	steroids, adrenal cortical										
methyiPREDNISolone (SOLUmedrol) na succ 40 mg inj	SOLU-MEDROL	steroids, adrenal cortical										
methyiPREDNISolone (SOLUmedrol) na succ 500 mg inj	SOLU-MEDROL	steroids, adrenal cortical										
methyiPREDNISolone 16 mg tab	medrol	steroids, adrenal cortical										
methyiPREDNISolone 2 mg tab	medrol	steroids, adrenal cortical										
methyiPREDNISolone 32 mg tab	medrol	steroids, adrenal cortical										
methyiPREDNISolone 4 mg tab	medrol	steroids, adrenal cortical										
methyiPREDNISolone 8 mg tab	medrol	steroids, adrenal cortical										
methyiPREDNISsolone (medrol dosepak) 4 mg tab 21 pack	medrol dosepak	steroids, adrenal cortical										

